



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/524,721

02/16/2005

Josef Ehrenfreund

70035

8404

26748

7590

04/09/2009

SYNGENTA CROP PROTECTION, INC.
PATENT AND TRADEMARK DEPARTMENT
410 SWING ROAD
GREENSBORO, NC 27409

EXAMINER

CHUNG, SUSANNAH LEE

ART UNIT

PAPER NUMBER

1626

NOTIFICATION DATE

DELIVERY MODE

04/09/2009

ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

department-gso.patent@syngenta.com

Response to Rule 312 Communication	Application No.	Applicant(s)
	10/524,721	EHRENFREUND ET AL.
	Examiner	Art Unit
	SUSANNAH CHUNG	1626

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

1. ☒ The amendment filed on 31 March 2009 under 37 CFR 1.312 has been considered, and has been:

a) ☐ entered.

b) ☐ entered as directed to matters of form not affecting the scope of the invention.

c) ☐ disapproved because the amendment was filed after the payment of the issue fee.

Any amendment filed after the date the issue fee is paid must be accompanied by a petition under 37 CFR 1.313(c)(1) and the required fee to withdraw the application from issue.

d) ☒ disapproved. See explanation below.

e) ☐ entered in part. See explanation below.

The 312 Amendment filed on 3/31/2009 is diapproved because it adds new subject matter. Prosecution needs to be reopened if Applicants would like this new subject matter to be examined.

/Golam M. M. Shameem/
Primary Examiner, Art Unit 1626